

Detection of c.118G>A mutation
in SOD1 gene causing
degenerative myelopathy in dogs

Customer: Alena Rejzková, Holoubkov 273, 33801 HOLOUBKOV, Czech Republic

Sample:

Sample: 20-14514

Date received: 25.05.2020

Sample type: buccal swab

Ordered on 2020-10-30.

Information provided by the customer

Name: EDDY Urban corgis

Breed: Welsh Corgi Pembroke

Microchip: 941 000 021 382 265

Reg. number: CMKU/WCP/1701/-19/17

Date of birth: 20.04.2017

Sex: male

Date of sampling: 25.05.2020

The identity of the animal has been checked by Kateřina Šašková,
Genomia s.r.o.

Result: Mutation was detected in homozygous status (P/P)

Legend: N/N = wild-type genotype. N/P = carrier of the mutation. P/P = mutated genotype (individual will be most probably affected with the disease). (N = negative, P = positive)

Explanation

Presence or absence of c.118G>A mutation in SOD1 gene causing degenerative myelopathy in many canine breeds was tested. This mutation is sometimes referred to as SOD1A. Affected dogs have progressive loss of movement and gradual worsening of the condition up to complete paralysis. The age of disease onset and symptoms severity vary among the breeds.

Mutation SOD1A is inherited as an autosomal recessive trait. That means the disease affects dogs with P/P genotype only. The dogs with N/P genotype are considered carriers of the disease (heterozygotes). In offspring of two heterozygous animals following genotype distribution can be expected: 25 % N/N (healthy non-carriers), 25 % P/P (affected), and 50 % N/P (healthy carriers).

The test does not exclude existence of another, nowadays unknown, mutation which can cause DM. In Bernese Mountain Dogs, there has been identified also SOD1B mutation responsible for DM - this test does not refer about SOD1B.

Analysis was performed by the partner laboratory. Genomia guarantees the quality of its partner's services.

Method: SOP175-DM, real-time PCR-ASA

Date of issue: 12.11.2020

Date of testing: 30.10.2020 - 12.11.2020

Approved by: Mgr. Martina Šafrová, Laboratory Manager



Genomia s.r.o, Republikánská 6, 31200 Plzeň, Czech Republic
www.genomia.cz, laborator@genomia.cz, tel: +420 373 749 999

Report verification code is: KJ9F-2JBF-AX13-166W-DAJ4. You can verify report online at www.genomia.cz

Without a written consent by the lab, the report must not be reproduced unless as a whole.

The result refers only to the sample as received. Genomia is not responsible for the accuracy of the information provided by the customer.